

Dream Tree TWP 10,000

Laboratory Test Results

(Kitchen Sink, Bathroom Sink, Refrigerator/Ice-Maker, Portable Partner)

Taste and Odor Reduction: Each of the filters listed below exceeds NSF Standard 42 for Chlorine, Taste, and Odor Reduction throughout the rated life of the filter:

<u>Model</u>	<u>Rated Lifespan</u>
Kitchen Sink	10,000 gal
Bathroom Sink	5,000 gal
Portable Partner	5,000 gal
Refrigerator/Ice-Maker	5,000 gal

Each filter maintained *below detectable limits* of chlorine throughout the rated lifespan.

Volatile Organic Chemicals Reduction (VOC's): Each model listed exceeds NSF Standard 53 for VOC reduction throughout 120% of the rated lifespan. The units removed greater than 90% of chloroform at 120% of the rated lifespan (ie 90% @ 12,000 gallons for the Kitchen Sink model). Chloroform is a common surrogate for the following chemicals:

Trichlorethylene (TCE)	1,1-Dichlorethylene	1,2-Dichlorethylene
1,1,1, -Trichlorethylene	Chlorobenzene	Cis-1, 3-dichloropropylene
Hexachlorobutadiene	Ethylbenzene	Tetrachlorethylene (PCE)
Ortho-xylene	Trans-1, 2-dichlorethylene	Toluene
0-dichlorobenzene	1,1,2,2-tetrachloroethane	Cis-1, 2-dichlorethylene
1,2,4 trichlorobenzene	Styrene	1,1,2-trichlorethane
m-xylene	Hexachlorocyclopentadiene	p-xylene
Carbufuran	Heptachlor epoxide	Dinoseb
Lindane	Alachlor	Endrin
Methoxychlor	Ethylene dibromide (EDB)	Pentachlorophenol-
Dibromochloropropane (DBCP)	Heptachlor	Atrazine
2,4,5-TP (silvex)	2,4-D	Simazine
Benzene	p-dichlorobenzene	Carbon tetrachloride
1,2-dichloropropane	MTBE	

The above TWP 10,000 filter is for use on municipally treated water systems. This unit should NOT be used where water is KNOWN to be unsafe or with water of unknown quality.

Dream Tree Family makes no claim that these substances are in your water, or that your water is contaminated. If you have a question regarding the quality of your water, you should have your water tested. Some contaminants may not be as harmful as others, but why choose to have *any* contaminants in your water when there is a solution?

This Sheet not approved for use in Iowa, Wisconsin, or California

Note: The information on this page does not constitute NSF approval for reduction of the listed contaminants (in some instances, no specific NSF test exists). It is provided solely for information purposes. For contaminants reduction claims per NSF protocol, refer to the performance data sheet.